# Investigación basada en registros electrónicos de salud

Dra Amaya Azcoaga Lorenzo
*Hospital Rey Juan Carlos*
Instituto Investigación Sanitaria FJD

Declaración de intereses

Interés	Organización
Rol y Filiación	• Doctora en Medicina. MPH. Especialista en MFyC. Hospital RJC, IIS-FJD • Honorary Senior Lecturer University of St Andrews (Escocia)
Becas y Premios	• Medical Research Council/HDRUK Fellowship 2018-2020 • Multimorbid Pregnancy: Determinants, Clusters, Consequences and Trajectories (MuM-PreDiCT). MRC. 2021-24 • OPTIMising therapies, discovering therapeutic targets and AI assisted clinical management for patients Living with complex multimorbidity (OPTIMAL study). NIHR. 2021-24
Honorarios	• Quiron Salud • University of St Andrews

Otras actividades profesionales	• Miembro de la Sociedad Española de Medicina Familiar y Comunitaria
	    • GdT Atención a la Mujer
	    • GdT Infecciosas
	• Vocalia investigación Junta SoMaMFyC 2014- 2018

Thompson DF. Understanding financial conflicts of interest. N Engl J Med. 1993 Aug 19;329(8):573–6.

¿Que es la investigación basada en registros electrónicos de salud?

Uso con fines de investigación de datos recogidos por otros motivos

Registros específicos
de enfermedad

Sistema Nacional de
Salud

Servicios
sociales

Datos
demográficos

Data linkage

CIE-10
RED CODEs
BNF

coded event
information

Information combined to form:
Hospitalisation data
Maternity records
A&E data
or other national datasets

Remove Personal Identifiable data

NHS Number ⟶
Anonymised Unique ID
Date of Birth ⟶   Few weeks
added or subtracted anonymously

National Safe Haven

Linked data held in study area
Trusted Research Environment

All identifiable data is encrypted and anonymised, with each person assigned a unique id.

What is a
TRE?

Trusted Research Environments (TREs) are **highly secure** computing environments that provide **remote access** to health data for approved research that can **save and improve lives.**

What is a TRE?

Why are they **important?**

Trusted Research Environment.

Safe People
Only trained and specifically accredited researchers can access the data

Safe Projects
Data is only used for ethical, approved research with the potential for clear public benefit

Safe Settings
Access to data is only possible using secure technology systems – the data never leaves the TRE

Safe Data
Researchers only use data that have been de-identifed to protect privacy

Safe Outputs
All research outputs are checked to ensure they cannot be used to identify subjects

¿ Que preguntas podemos responder?

Validación de los registrsde consumo de alcohol en Atención Primaria en Escocia

Validación de los registrsde consumo de alcohol en Atención Primaria en Escocia

Primary care alcohol related Read Codes

Read code allows classification and within 5 years of UKB assessment

Read code contain units per week

Qualitative descriptor

Classification

Classification

Non-classified

Primary care	UKB
No drinker	No drinker
Sensible drinker 1-14 units/week	Sensible drinker 1-14 units/week
Moderate drinker 15-21 units/week	Moderate drinker 15-21 units/week
Hazardous drinker 22-35 units/week	Hazardous drinker 22-35 units/week
Harmful drinker >35 units/week	Harmful drinker >35 units/week

Agreement (K) estimated at 6 months, 1, 3 and 5 years

35 850 participantes en Escocia y 18 838 (69%) tenia al menos un registro de consumo de alcohol

XLI
CONGRESO DE LA SEMFYC
DEL 7 AL 9 DE OCTUBRE DE 2021
PALMA DE MALLORCA

Transformando
la Atención Primaria

ID: 5073

Autores: Amaya Azcoaga Lorenzo [1], David Fraile Navarro, [1,2], Utkarsh Agrawal [1], Frank M Sullivan [1] Alexander M Baldacchino [1].

1. University of St Andrews, School of Medicine, Medical and Biological Sciences, North Haugh, St Andrews, KY16 9TF, United Kingdom

2. Centre for Health Informatics, Australian Institute of Health Innovation, Macquarie University, Sydney, Australia.

Email: aalza@standrews.ac.uk

¿ Cuánto bebemos?
Depende de quien pregunte...

Original research

Development of an algorithm to classify primary care electronic health records of alcohol consumption: experience using data linkage from UK Biobank and primary care electronic health data sources

David Fraile-Navarro [1,2] Amaya Azcoaga-Lorenzo [1] U...
Bhautesh Jani [3] Adeniyi Fagbamigbe [1] Dorothy Curr...
Alexander Baldacchino [1] Frank Sullivan [1]

BMC Pregnancy and Childbirth

Check for updates

Epidemiology of pre-existing multimorbidity in pregnant women in the UK in 2018: a population-based cross-sectional study

Siang Ing Lee[1], Amaya Azcoaga-Lorenzo[2†], Utkarsh Agrawal[2†], Jonathan I. Kennedy[3†],
Adeniyi Francis Fagbamigbe[2,4], Holly Hope[5], Anuradhaa Subramanian[1], Astha Anand[1], Beck Taylor[1]
, Catherine Nelson-Piercy[6], Christine Damase-Michel[7,8], Christopher Yau[9,10], Francesca Crowe[1]
, Gillian Santorelli[11], Kelly-Ann Eastwood[12,13], Zoe Vowles[6], Maria Loane[14], Ngawai Moss[15]
, Peter Brocklehurst[1], Rachel Plachcinski[15], Shakila Thangaratinam[16,17], Mairead Black[18]
, Dermot O'Reilly[12†], Kathryn M. Abel[5,19†], Sinead Brophy[3†], Krishnarajah Nirantharakumar[1*†],
Colin McCowan[2†] and on behalf of the MuM-PreDiCT Group

Trial emulation

- SAIL Databank
- Emulating a hypothetical pragmatic randomized trial
- Specify the causal question, the study population and eligibility criteria, the exposure and reference groups, and start and end of follow–up.

Severe COVID-19 outcomes after full vaccination of primary schedule and initial boosters: pooled analysis of national prospective cohort studies of 30 million individuals in England, Northern Ireland, Scotland, and Wales

Utkarsh Agrawal*, Stuart Bedston*, Colin McCowan*, Jason Oke*, Lynsey Patterson*, Chris Robertson*, Ashley Akbari, Amaya Azcoaga-Lorenzo, Declan T Bradley, Adeniyi Francis Fagbamigbe, Zoe Grange, Elliott C R Hall, Mark Joy, Srinivasa Vittal Katikireddi, Steven Kerr, Sir Lewis Ritchie, Siobhán Murphy, Rhiannon K Owen, Igor Rudan, Syed Ahmar Shah, Colin R Simpson, Fatemeh Torabi, Ruby S M Tsang, Simon de Lusignan, Ronan A Lyons, Dermot O'Reilly, Sir Aziz Sheikh

scientific reports

OPEN

Risk of thrombocytopenic, haemorrhagic and thromboembolic disorders following COVID-19 vaccination and positive test: a self-controlled case series analysis in Wales

Fatemeh Torabi[✉1], Stuart Bedston[1], Emily Lowthian[1], Ashley Akbari[1], Rhiannon K. Owen[1], Declan T. Bradley[2,3], Utkarsh Agrawal[4], Peter Collins[5], Richard Fry[1], Lucy J. Griffiths[1], Jillian Beggs[6], Gareth Davies[1], Joe Hollinghurst[1], Jane Lyons[1], Hoda Abbasizanjani[1], Simon Cottrell[7], Malorie Perry[7], Richard Roberts[7], Amaya Azcoaga-Lorenzo[4], Adeniyi Francis Fagbamigbe[4], Ting Shi[8], Ruby S. M. Tsang[9], Chris Robertson[10], F. D. Richard Hobbs[9], Simon de Lusignan[9], Colin McCowan[4], Michael Gravenor[1],

Research

Association between multimorbidity and mortality in a cohort of patients admitted to hospital with COVID-19 in Scotland

Utkarsh Agrawal [iD][1], Amaya Azcoaga-Lorenzo [iD][1], Adeniyi Francis Fagbamigbe[1], Eleftheria Vasileiou[2], Paul Henery[3], Colin R Simpson[2,4], Sarah J Stock[2], Syed Ahmar Shah[2], Chris Robertson[5], Mark Woolhouse[2], Lewis D Ritchie[6], Aziz Shiekh[2], Ewen M Harrison[2,7], Annemarie B Docherty [iD][2], and Colin McCowan[1]

CERTIFICA:

Que en la reunión del CEIm-FJD que tuvo lugar el 08/11/2022 (acta nº 19/22) se evaluó el estudio referido y, ha decidido:

A P R O B A R

La propuesta para que se realice el estudio:

Titulo: "Prevalencia de vaginosis bacteriana y vaginitis candidiásica: análisis retrospectivo de muestras de laboratorio en 10 años".

INSTITUTO DE
INVESTIGACIÓN
SANITARIA
FUNDACIÓN JIMÉNEZ DÍAZ

- Aproximadamente el 1% de todas las consultas de Atención Primaria en Madrid al año
  - 40-50 millones de consultas año
- 10 millones de consultas al año en EEUU
- Gran consumo de recursos por consultas, pruebas y tratamientos-mucho autotratamiento.
- Poco interés por ser patología considerada banal

IIS FJD
INSTITUTO DE
INVESTIGACIÓN
SANITARIA
FUNDACIÓN JIMÉNEZ DÍAZ

Pros y contras de usar EHR

- Barato (mas barato)
- Actualización periódica de los datos
- Datos poblacionales
- Disminuye sesgo de selección
- Codificación de los datos
- Tiempo de seguimiento
- Tamaño de la muestra

- Acceso y aspectos éticos
- Consentimiento y anonimizacion
- Diferencias locales en registro
- Datos administrativos
- Calidad de las bases
- Datos perdidos
- Dificultades en la vinculación de las bases